RECEIVED
CENTRAL FAX CENTER
FEB 23 2007

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Cancelled)

Claim 2 (Previously Presented) A compound of formula (I)



(I)

wherein X is O; R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, -CN, $-SR^6$, $-S(O)_2R^6$; or heterocycle, optionally substituted with one or more substituents selected from the group consisting of C_{1-8}alkyl, -CN, and C_{6-14}arylC_{1-8}alkyl; R^6 is C_{1-8}alkyl, optionally substituted with halogen; R^7 is C_{1-8} alkyl optionally substituted with hydroxy; $-NH_2$; or heterocycle; R^2 is hydrogen; R^3 is hydrogen or C_{1-8} alkyl; R^4 is heterocycle, optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, C_{1-8}alkyl, $-OR^{11}$ and $-SR^{10}N(R^{10})_2$, $S(O)_2NR^8R^9$; or C_{6-14}aryl substituted with one or more substituents selected from the group consisting of hydroxy, halogen, $-CF_3$, C_{1-8}alkyl, hydroxyC_{1-8}alkyl, -CN, $-NO_2$, $-C(O)NH_2$, $-S(O)R^7$, $-S(O)_2R^7$, $-S(O)_2NR^8R^9$, $-OR^{11}$, $-C(O)NR^{11}$, $-C(O)OR^{11}$, $-NR^{11}$, $-NC(O)R^{11}$, and heterocycle which may be optionally substituted with one or more substituents selected from the group consisting of oxo, C_{1-8}alkyl and heterocycleC_{1-8}alkyl; $R^8$and R^9 are the same or different and are selected from the group consisting of hydrogen, C_{1-8}alkyl, C_{1-8}alkylheterocycle, heterocycle, and C_{3-6}cycloalkyl; R^{10} is C_{1-8}alkyl; R^{11} is C_{1-8}alkyl, optionally substituted with $-SO_2NR^8R^9$; and R^5 is halogen or $-NO_2$; or a pharmaceutically acceptable salt thereof.

Claim 3 (Previously Presented) A compound of formula (I)



(I)

wherein X is O; R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, -CF_3, C_{1-8}alkyl, and -CN; R^2 and R^3 are hydrogen; R^4 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, C_{1-8} alkyl, -CN, -NO_2, -$S(O)R^7$, -$S(O)_2R^7$, -$NS(O)_2R^7$, wherein R^7 is -NH_2; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 4 (Cancelled)

Claim 5 (Previously Presented) A compound of formula (I)



(I)

wherein X is O, R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, -CF_3, C_{1-8}alkyl, and -CN; R^2 and R^3 are hydrogen; R^4 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, C_1.

$_8$alkyl, -CN, -NO_2, -$S(O)R^7$, -$S(O)_2R^7$, -$NS(O)_2R^7$, wherein R^7 is -NH_2; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 6 (Currently Amended) A compound of formula (IA)



(IA)

wherein:

X is O;

R^1 is C_{6-14}aryl which may be optionally substituted with one or more substituents selected from the group consisting of halogen, -CF_3, C_{1-8}alkyl, C_{1-8}alkylamino, alkoxy, C_{3-6}cycloalkyl C_{2-6}alkenyl, C_{6-14}arylC_{2-6}alkenyl, -CN, -NO_2, -NH_2, -SR^6, -$S(O)_2R^6$, -$S(O)R^7$, -$S(O)_2R^7$, -$C(O)R^7$, C_{2-6}alkenyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, and heterocycle and C_{2-6}alkynyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl, and heterocycle;

R^6 is C_{1-8}alkyl optionally substituted with one or more substituents selected from the group consisting of hydroxyl, halogen, -CF_3, aryl, and heterocycle;

R^7 is C_{1-8} alkyl, optionally substituted with one or more substituents selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl and heterocycle; -NH_2; or heterocycle;

R^2 is hydrogen, halogen, or C_{1-8}alkyl;

R^3 is hydrogen;

R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl and at least one of ~~one or more substituents selected from the group consisting of~~ hydroxy, halogen, $-CF_3$, C_{1-8}alkyl, hydroxyC_{1-8}alkyl, -CN, $-NO_2$, C_{1-8}alkylamino, heterocycleC_{1-8}alkyl, $-C(O)NH_2$, $-S(O)R^7$, $-S(O)_2R^7$, $-C(O)R^7$, $-NS(O)_2R^7$, $-S(O)_2NR^8R^9$, $-S(O)_2NHR^{11}$, $-S(O)_2R^{11}$, $-S(O)_2NR^7COR^{11}$, $-S(O)_2NHCOR^{11}$, $-S(O)_2[COR^{11}]_n$ wherein n is 1, $-OR^{11}$, $-OR^{11}OR^{11}$, $-C(O)R^{11}$, $-C(O)NR^{11}$, $-C(O)OR^{11}$, $-NR^{11}$, $-NC(O)R^{11}$, heterocycleC_{2-6}alkenyl, heterocycle which may be optionally substituted with one or more substituents selected from the group consisting of oxo, C_{1-8}alkyl, and $C(O)OR^{11}$, and C_{1-8}alkyl which may be optionally substituted with one or more substituents selected from the group consisting of -CN and heterocycle, optionally substituted with $-C(O)R^{11}$;

$R^8$and R^9 are independently selected from the group consisting of hydrogen, C_{3-6}cycloalkyl, C_{1-8}alkyl optionally substituted with one or more substituents selected from the group consisting of oxo, heterocycle, CN and C_{6-14}aryl optionally substituted with alkoxy, C_{1-8} alkylamino, C_{1-8}alkylheterocycle, heterocycle, heterocycleC_{1-8}alkyl, C_{3-6}cycloalkylC_{1-8}alkyl, and C_{3-6}cycloalkyl;

R^{11} is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydrogen, hydroxy, halogen, C_{1-8}alkyl, C_{3-6}cycloalkyl, alkoxy, $-S(O)_2NR^8R^9$, $NCONH_2$, and heterocycle optionally substituted with one or more substituents selected from the group consisting of oxo, hydroxy, and C_{1-8}alkyl; heterocycle optionally substituted with heterocycleC_{1-8}alkyl; or C_{6-14}aryl optionally substituted with alkoxy;

R^5 is hydrogen, halogen, C_{1-8}alkyl, $-NO_2$, $-NH_2$, C_{1-8}alkylamino, CF_3, or alkoxy;

or a pharmaceutically acceptable salt thereof.

Claim 7 (Currently Amended) A compound of formula (IA) according to claim 6 wherein X is O; R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, -CN, C_{2-6}alkenyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, and heterocycle and C_{2-6}alkynyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl, and heterocycle; R^2 and R^3 are hydrogen; R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl and at least one of ~~one or more substituents selected from the group consisting of C_{1-8}alkyl,~~ $-S(O)_2R^7$, $-S(O)_2NR^8R^9$, $-OR^{11}$, heterocycleC_{2-6}alkenyl, and heterocycle

which may be optionally substituted with oxo; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 8 (Cancelled)

Claim 9 (Previously Presented) A compound of formula (IB)



(IB)

wherein X is O; R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, $-CF_3$, and -CN; R^2 is hydrogen; R^3 is hydrogen; R^4 is heterocycle; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 10 (Cancelled)

Claim 11 (Cancelled)

Claim 12 (Cancelled)

Claim 13 (Previously Presented) A compound of formula (ID)



(ID)

wherein X is O; R^1 is heterocycle; R^2 and R^3 are hydrogen; R^4 is heterocycle; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 14 (Cancelled)

Claim 15 (Cancelled)

Claim 16 (Cancelled)

Claim 17 (Cancelled)

Claim 18 (Previously Presented) A compound of formula (III)



(III)

wherein R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, -CN, $-SR^6$, $-S(O)_2R^6$; or heterocycle, optionally substituted with one or more substituents selected from the group consisting of C_{1-8}alkyl, -CN, and C_{6-14}arylC_{1-8}alkyl; R^6 is C_{1-8}alkyl, optionally substituted with halogen; R^7 is C_{1-8} alkyl, optionally substituted with hydroxy; $-NH_2$; or heterocycle; R^4 is heterocycle, optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, C_{1-8}alkyl, $-OR^{11}$ and $-SR^{10}N(R^{10})_2$; or C_{6-14}aryl substituted with one or more substituents selected from the group consisting of hydroxy, $-CF_3$, C_{1-8}alkyl, hydroxyC_{1-8}alkyl, -CN, $-NO_2$, $-C(O)NH_2$, $-S(O)_2R^7$, $-S(O)_2NR^8R^9$, $-OR^{11}$, $-C(O)NR^{11}$, $-C(O)OR^{11}$, $-NR^{11}$, $-NC(O)R^{11}$, heterocycle which may be optionally substituted with one or more substituents selected from the group consisting of oxo and C_{1-8}alkyl; $R^8$and R^9 are the same or different and are selected from the group consisting of hydrogen, C_{1-8}alkyl, C_{1-8}alkylheterocycle, heterocycle, and C_{3-6}cycloalkyl; R^{10} is C_{1-8}alkyl; R^{11} is

C_{1-8}alkyl, optionally substituted with $-S(O)_2NR^8R^9$; and R^5 is halogen or $-NO_2$; or a pharmaceutically acceptable salt thereof.

Claim 19 (Previously Presented) A compound of formula (III) according to claim 18 wherein R^1 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, and -CN; R^4 is C_{6-14}aryl substituted with one or more substituents selected from the group consisting of halogen, C_{1-8}alkyl, -CN, $-NO_2$, $-S(O)R^7$, $-S(O)_2R^7$, $-NS(O)_2R^7$, wherein R^7 is $-NH_2$; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 20 (Previously Presented) A compound of formula (I)



(I)

wherein:

X is O;

R^1 is phenyl which is substituted in the *meta* position with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, C_{1-8}alkylamino, alkoxy, C_{3-6}cycloalkylC_{2-6}alkenyl, C_{6-14}arylC_{2-6}alkenyl, -CN, $-NO_2$, $-NH_2$, $-SR^6$, $-S(O)_2R^6$, $-S(O)R^7$, $-S(O)_2R^7$, $-C(O)R^7$, C_{2-6}alkenyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, and heterocycle, and C_{2-6}alkynyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl, and heterocycle;

R^2 is hydrogen;

R^3 is hydrogen;

R^4 is phenyl substituted in the *ortho* position with a substituent selected from the group consisting of hydroxy, halogen, $-CF_3$, or C_{1-8}alkyl and substituted at the *para* position with a substituent selected from the group consisting of hydroxy, halogen, $-CF_3$, C_{1-8}alkyl,

hydroxyC_{1-8}alkyl, -CN, -NO_2, C_{1-8}alkylamino, heterocycleC_{1-8}alkyl, -C(O)NH_2, -S(O)R^7, -$S(O)_2R^7$, -C(O)R^7, -$NS(O)_2R^7$, -$S(O)_2NR^8R^9$, -$S(O)_2NHR^{11}$, -SO_2R^{11}, -OR^{11}, -C(O)R^{11}, -C(O)NR^{11}, -C(O)OR^{11}, -NR^{11}, -NC(O)R^{11}, heterocycleC_{2-6}alkenyl, heterocycle which may be optionally substituted with one or more substituents selected from the group consisting of oxo, C_{1-8}alkyl, and C(O)OR^{11}, and C_{1-8}alkyl which may be optionally substituted with one or more substituents selected from the group consisting of -CN and heterocycle, optionally substituted with -C(O)R^{11};

R^5 is a substituent in the *para* position relative to X and is selected from the group consisting of halogen, C_{1-8}alkyl, -NO_2, -NH_2, C_{1-8}alkylamino, CF_3, or alkoxy;

R^6 is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydroxy, halogen, -CF_3, aryl, and heterocycle;

R^7 is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl and heterocycle; -NH_2; or heterocycle;

R^8 and R^9 are independently selected from the group consisting of hydrogen; C_{3-6}cycloalkyl; C_{1-8}alkyl optionally substituted with one ore more substituents selected from the group consisting of oxo, heterocycle, CN and C_{6-14}aryl optionally substituted with alkoxy, C_{1-8}alkylamino, C_{1-8}alkylheterocycle, heterocycle, heterocycleC_{1-8}alkyl, C_{3-6}cycloalkylC_{1-8}alkyl, and C_{3-6}cycloaklyl; or –C(O)NH_2;

R^{11} is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydrogen, C_{1-8}alkyl, -$S(O)_2NR^8R^9$, -NR^8R^9, and heterocycle, optionally substituted with one or more substituents selected from the group consisting of oxo and C_{1-8}alkyl; or a pharmaceutically acceptable salt thereof.

Claim 21 (Cancelled)

Claim 22 (Cancelled)

Claim 23 (Previously Presented) A compound selected from the group consisting of:

2-[2-(1-benzothiophen-2-ylcarbonyl)-4-chlorophenoxy]-N-phenylacetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(1H-imidazol-1-yl)phenyl]acetamide;

2-[4-chloro-2-(2-thienylcarbonyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(1H-1,2,4-triazol-1-yl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(4-morpholinyl)phenyl]acetamide;

N-[4-(aminosulfonyl)phenyl]-2-(2-benzoyl-4-chlorophenoxy)acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{4-[(1,3-thiazol-2-ylamino)sulfonyl]phenyl}acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(4-methyl-1-piperazinyl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(hydroxymethyl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{4-[(methylamino)sulfonyl]phenyl}acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(1,1-dioxo-1lambda~6~,4-thiazinan-4-yl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[2-methyl-4-(4-morpholinyl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{4-[3-(dimethylamino)propoxy]-2-methylphenyl}acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(1-hydroxyethyl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(1-hydroxyethyl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{2-methyl-4-[3-(1-pyrrolidinyl)propoxy]phenyl}acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-(1H-indazol-5-yl)acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{2-methyl-4-[3-(4-morpholinyl)propoxy]phenyl}acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{4-[3-(1H-imidazol-1-yl)propoxy]-2-methylphenyl}acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-(1H-indazol-6-yl)acetamide;

2-[4-chloro-2-(2-thienylcarbonyl)phenoxy]-N-(1H-indazol-5-yl)acetamide;

2-[4-chloro-2-(2-furoyl)phenoxy]-N-(1H-indazol-5-yl)acetamide;

2-[4-chloro-2-(3-thienylcarbonyl)phenoxy]-N-(1H-indazol-5-yl)acetamide;

2-[4-chloro-2-(2-thienylcarbonyl)phenoxy]-N-{2-methyl-4-[3-(4-morpholinyl)propoxy]phenyl}acetamide;

2-[4-chloro-2-(2-thienylcarbonyl)phenoxy]-N-[4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-{2-methyl-4-[3-(1-oxo-1lambda~4~,4-thiazinan-4-yl)propoxy]phenyl}acetamide;

2-[4-chloro-2-(2-furoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-(2-benzoyl-4-chlorophenoxy)acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(2-thienylcarbonyl)phenoxy]acetamide;

2-[2-(1-benzofuran-2-ylcarbonyl)-4-chlorophenoxy]-N-phenylacetamide

2-[4-chloro-2-(1,3-thiazol-2-ylcarbonyl)phenoxy]-N-phenylacetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(2-furoyl)phenoxy]acetamide;

2-[4-chloro-2-(2-furoyl)phenoxy]-N-(1H-indazol-6-yl)acetamide;

2-[4-chloro-2-(3-furoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-thienylcarbonyl)phenoxy]-N-[4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-thienylcarbonyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-{4-chloro-2-[(1-methyl-1H-pyrrol-2-yl)carbonyl]phenoxy}-N-phenylacetamide;

2-(4-chloro-2-{[5-(2-pyridinyl)-2-thienyl]carbonyl}phenoxy)-N-phenylacetamide;

2-[4-chloro-2-(1,3-thiazol-2-ylcarbonyl)phenoxy]-N-(1H-indazol-5-yl)acetamide;

2-[4-chloro-2-(1,3-thiazol-2-ylcarbonyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-pyridinylcarbonyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[2-(2-bromobenzoyl)-4-chlorophenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[2-(4-bromobenzoyl)-4-chlorophenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[2-(2-bromobenzoyl)-4-chlorophenoxy]acetamide;

2-{4-chloro-2-[(5-methyl-3-isoxazolyl)carbonyl]phenoxy}-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-fluorobenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-chlorobenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-fluorobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-chlorobenzoyl)phenoxy]acetamide;

2-{4-chloro-2-[(4-cyano-2-thienyl)carbonyl]phenoxy}-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[(4-cyano-2-thienyl)carbonyl]phenoxy}acetamide;

2-{4-chloro-2-[3-(trifluoromethyl)benzoyl]phenoxy}-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[2-(3-bromobenzoyl)-4-chlorophenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[2-(3-bromobenzoyl)-4-chlorophenoxy]acetamide;

2-[4-chloro-2-(3-methylbenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]-N-(5-methyl-1H-indazol-6-yl)acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-pyridinylcarbonyl)phenoxy]acetamide;

2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]-N-{2-methyl-4-[3-(1-pyrrolidinyl)propoxy]phenyl}acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[(1-methyl-1H-imidazol-2-yl)carbonyl]phenoxy}acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(1,3-thiazol-2-ylcarbonyl)phenoxy]acetamide;

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-{2-methyl-4-[3-(1-pyrrolidinyl)propoxy]phenyl}acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide

N-(1,3-benzothiazol-6-yl)-2-(2-benzoyl-4-chlorophenoxy)acetamide

2-(4-chloro-2-{3-[(trifluoromethyl)sulfanyl]benzoyl}phenoxy)-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide

2-[4-chloro-2-(3-ethynylbenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

2-[4-chloro-2-(3,5-dichlorobenzoyl)phenoxy]-N-[2-methyl-4-(1-oxo-1lambda~4~,4-thiazinan-4-yl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dichlorobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}acetamide;

N-(1,3-benzothiazol-6-yl)-2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]acetamide

2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]-N-(2-methyl-1,3-benzothiazol-5-yl)acetamide

N-[4-(aminosulfonyl)-2-methylphenyl]-2-(4-chloro-2-{3-[(trifluoromethyl)sulfanyl]benzoyl}phenoxy)acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-ethynylbenzoyl)phenoxy]acetamide;

2-(2-benzoyl-4-chlorophenoxy)-N-[4-(methylsulfonyl)phenyl]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[3-(2-cyclopentylethynyl)benzoyl]phenoxy}acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-(5-methyl-1H-indazol-6-yl)acetamide;

2-[4-chloro-2-(3,5-dichlorobenzoyl)phenoxy]-N-(5-methyl-1H-indazol-6-yl)acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[3-(2-phenylethynyl)benzoyl]phenoxy}acetamide;

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-(5-methyl-1H-indazol-6-yl)acetamide;

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-[2-methyl-4-(methylsulfonyl)phenyl]acetamide;

N-(1,2-benzisothiazol-5-yl)-2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]acetamide;

2-[4-chloro-2-(3,5-dichlorobenzoyl)phenoxy]-N-(5-methyl-1H-benzimidazol-6-yl)acetamide;

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-(5-methyl-1H-benzimidazol-6-yl)acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-(5-methyl-1H-benzimidazol-6-yl)acetamide

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-1-(2,3-dihydro-1H-indol-1-yl)-1-ethanone;

2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]-N-[2-methyl-4-(methylsulfonyl)phenyl]acetamide;

2-[4-chloro-2-(3-ethynylbenzoyl)phenoxy]-N-[2-methyl-4-(methylsulfonyl)phenyl]acetamide;

N-{4-[3-(aminosulfonyl)propoxy]-2-methylphenyl}-2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]acetamide;

2-{2-[3,5-bis(trifluoromethyl)benzoyl]-4-chlorophenoxy}-N-(5-methyl-1H-benzimidazol-6-yl)acetamide;

2-{2-[(5-bromo-3-pyridinyl)carbonyl]-4-chlorophenoxy}-N-(5-methyl-1H-benzimidazol-6-yl)acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-(6-methyl-1,3-benzothiazol-5-yl)acetamide;

N-{4-[3-(aminosulfonyl)propoxy]-2-methylphenyl}-2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-(4-chloro-2-{3-[(trifluoromethyl)sulfonyl]benzoyl}phenoxy)acetamide;

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-[4-(1,3-thiazol-2-yl)phenyl]acetamide

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-[4-(1,3-oxazol-2-yl)phenyl]acetamide

2-[4-chloro-2-(3,5-difluorobenzoyl)phenoxy]-N-{4-[(3-hydroxypropyl)sulfonyl]-2-methylphenyl}acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-(2-methyl-4-{3-[(methylamino)sulfonyl]propoxy}phenyl)acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-(4-{3-[(dimethylamino)sulfonyl]propoxy}-2-methylphenyl)acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{2-[(5-bromo-3-pyridinyl)carbonyl]-4-chlorophenoxy}acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-{4-[3-(1H-imidazol-1-yl)propoxy]-2-methylphenyl}acetamide;

2-{4-chloro-2-[3-fluoro-5-(trifluoromethyl)benzoyl]phenoxy}-N-{2-methyl-4-[(E)-4-(1-pyrrolidinyl)-1-butenyl]phenyl}acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyano-5-fluorobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]acetamide;

N-[6-(aminosulfonyl)-4-methyl-3-pyridinyl]-2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-chloro-5-cyanobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dimethylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyano-5-ethylbenzoyl)phenoxy]acetamide;

2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]-*N*-{4-[3-(2,5-dihydro-1*H*-pyrrol-1-yl)propoxy]-2-methylphenyl}acetamide hydrochloride;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-chloro-5-methylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dichlorobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[(6-cyano-2-pyridinyl)carbonyl]phenoxy}acetamide;

N-[6-(aminosulfonyl)-2-methyl-3-pyridinyl]-2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dicyanobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[3-cyano-5-(trifluoromethyl)benzoyl]phenoxy}acetamide;

and pharmaceutically acceptable salts thereof.

Claim 24 (Cancelled)

Claim 25 (Previously Presented) A compound selected from the group consisting of:

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyanobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{ {4-chloro-2-(3-fluoro-5-(trifluoromethyl)benzoyl]pheonoxy}acetamide;

N-{4-[3-(aminosulfonyl)propoxy] -2-methylphenyl}-2-{4-chloro-2-[3-fluoro-5-(trifluomethyl)benzoyl]phenoxy}acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyano-5-fluorobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]acetamide;

N-[6-(aminosulfonyl)-4-methyl-3-pyridinyl]-2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-chloro-5-cyanobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dimethylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-cyano-5-ethylbenzoyl)phenoxy]acetamide;

2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]-*N*-{4-[3-(2,5-dihydro-1*H*-pyrrol-1-yl)propoxy]-2-methylphenyl}acetamide hydrochloride;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3-chloro-5-methylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dichlorobenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-{4-chloro-2-[(6-cyano-2-pyridinyl)carbonyl]phenoxy}acetamide;

N-[6-(aminosulfonyl)-2-methyl-3-pyridinyl]-2-[4-chloro-2-(3-cyano-5-methylbenzoyl)phenoxy]acetamide;

N-[4-(aminosulfonyl)-2-methylphenyl]-2-[4-chloro-2-(3,5-dicyanobenzoyl)phenoxy]acetamide;

and pharmaceutically acceptable salts thereof.

Claim 26 (Cancelled)

Claim 27 (Cancelled)

Claim 28 (Previously Presented) A method of treatment of an HIV infection in a mammal comprising administering to said mammal an anti-HIV effective amount of a compound according to claim 2.

Claim 29 (Cancelled)

Claim 30 (Cancelled)

Claim 31 (Cancelled)

Claim 32 (Cancelled)

Claim 33 (Cancelled)

Claim 34 (Previously Presented) A pharmaceutical composition comprising an effective amount of a compound according to claim 2 together with a pharmaceutically acceptable carrier.

Claim 35 (Original) A pharmaceutical composition according to claim 34 in the form of a tablet or capsule.

Claim 36 (Original) A pharmaceutical composition according to claim 34 in the form of a liquid.

Claim 37 (Cancelled)

Claim 38 (Cancelled)

Claim 39 (Cancelled)

Claim 40 (Previously Presented) A compound of formula (III)



(III)

wherein

R^1 is phenyl which is substituted in the *meta* position with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, C_{1-8}alkylamino, alkoxy, C_{3-6}cycloalkylC_{2-6}alkenyl, C_{6-14}arylC_{2-6}alkenyl, -CN, $-NO_2$, $-NH_2$, $-SR^6$, $-S(O)_2R^6$, $-S(O)R^7$, $-S(O)_2R^7$, $-C(O)R^7$, C_{2-6}alkenyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, and heterocycle, and C_{2-6}alkynyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl, and heterocycle;

R^2 is hydrogen;

R^4 is phenyl substituted in the *ortho* position with a substituent selected from the group consisting of hydroxy, halogen, $-CF_3$, or C_{1-8}alkyl and substituted at the *para* position with a substituent selected from the group consisting of hydroxy, halogen, $-CF_3$, C_{1-8}alkyl, hydroxyC_{1-8}alkyl, -CN, $-NO_2$, C_{1-8}alkylamino, heterocycleC_{1-8}alkyl, $-C(O)NH_2$, $-S(O)R^7$, $-S(O)_2R^7$, $-C(O)R^7$, $-NS(O)_2R^7$, $-S(O)_2NR^8R^9$, $-S(O)_2NHR^{11}$, $-SO_2R^{11}$, $-OR^{11}$, $-C(O)R^{11}$, $-C(O)NR^{11}$, $-C(O)OR^{11}$, $-NR^{11}$, $-NC(O)R^{11}$, heterocycleC_{2-6}alkenyl, heterocycle which may be optionally substituted with one or more substituents selected from the group consisting of oxo, C_{1-8}alkyl, and $C(O)OR^{11}$, and C_{1-8}alkyl which may be optionally substituted with one or

more substituents selected from the group consisting of -CN and heterocycle, optionally substituted with $-C(O)R^{11}$;

R^5 is a substituent in the *para* position relative to X and is selected from the group consisting of halogen, C_{1-8}alkyl, $-NO_2$, $-NH_2$, C_{1-8}alkylamino, CF_3, or alkoxy;

R^6 is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydroxy, halogen, $-CF_3$, aryl, and heterocycle;

R^7 is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl and heterocycle; $-NH_2$; or heterocycle;

R^8 and R^9 are independently selected from the group consisting of hydrogen; C_{3-6}cycloalkyl; C_{1-8}alkyl optionally substituted with one ore more substituents selected from the group consisting of oxo, heterocycle, CN and C_{6-14}aryl optionally substituted with alkoxy, C_{1-8}alkylamino, C_{1-8}alkylheterocycle, heterocycle, heterocycleC_{1-8}alkyl, C_{3-6}cycloalkylC_{1-8}alkyl, and C_{3-6}cycloaklyl; or $-C(O)NH_2$;

R^{11} is C_{1-8}alkyl, optionally substituted with one or more substituents selected from the group consisting of hydrogen, C_{1-8}alkyl, $-S(O)_2NR^8R^9$, $-NR^8R^9$, and heterocycle, optionally substituted with one or more substituents selected from the group consisting of oxo and C_{1-8}alkyl; or a pharmaceutically acceptable salt thereof.

Claim 41 (Cancelled)

Claim 42 (Cancelled)

Claim 43 (Currently Amended) A compound according to claim 6 wherein R^1 is C_{6-14} aryl substituted in the meta position with halogen and wherein R^3 is hydrogen ~~and R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl~~.

Claim 44 (Previously Presented) A compound according to claim 7 wherein R^1 is C_{6-14} aryl substituted in the meta position with halogen and wherein R^3 is hydrogen and R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl.

Claim 45 (Previously Presented) A compound according to claim 2 wherein R^1 is C_{6-14} aryl substituted in the meta position with halogen and wherein R^3 is hydrogen and R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl.

Claim 46 (Previously Presented) A compound according to claim 18 wherein R^1 is C_{6-14} aryl substituted in the meta position with halogen and wherein R^3 is hydrogen and R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl.

Claim 47 (Previously Presented) A compound according to claim 19 wherein R^1 is C_{6-14} aryl substituted in the meta position with halogen and wherein R^3 is hydrogen and R^4 is C_{6-14}aryl substituted with C_{1-8}alkyl.

Claim 48 (Cancelled)

Claim 49 (Previously Presented) A method of treatment of an HIV infection in a mammal comprising administering to said mammal an effective amount of a compound according to claim 23.

Claim 50 (Cancelled)
Claim 51 (Cancelled)
Claim 52 (Cancelled)
Claim 53 (Cancelled)
Claim 54 (Cancelled)

Claim 55 (Previously Presented) A pharmaceutical composition comprising an effective amount of a compound according to claim 23 together with a pharmaceutically acceptable carrier.

Claim 56 (Cancelled)
Claim 57 (Cancelled)

Claim 58 (Previously Presented) A compound of formula (I) according to claim 20 wherein R^1 is phenyl which is substituted in the meta position with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, and -CN; R^4 is phenyl substituted with one or more substituents selected from the group consisting of halogen, C_{1-8}alkyl, -CN, $-NO_2$, $-S(O)R^7$, $-S(O)_2R^7$, $-NS(O)_2R^7$, wherein R^7 is $-NH_2$; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 59 (Previously Presented) A compound of formula (I) according to claim 20 wherein R^1 is phenyl which is substituted in the meta position with one or more substituents selected from the group consisting of halogen, C_{1-8}alkyl, CF_3, -CN; R^4 is phenyl substituted with one or more substituents selected from the group consisting of C_{1-8}alkyl and $S(O)_2NR^8R^9$, wherein $R^8$and R^9 are independently selected from the group consisting of hydrogen, C_{3-6}cycloalkyl, C_{1-8}alkyl optionally substituted with one or more substituents selected from the group consisting of oxo, heterocycle, CN and C_{6-14}aryl optionally substituted with C_{1-8}alkoxy, C_{1-8} alkylamino, C_{1-8}alkylheterocycle, heterocycle, heterocycleC_{1-8}alkyl, C_{3-6}cycloalkylC_{1-8}alkyl, and C_{3-6}cycloalkyl.

Claim 60 (Previously Presented) A compound of formula (I) according to claim 20 wherein R^1 is phenyl which is substituted in the meta position with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, -CN, C_{2-6}alkenyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, and heterocycle and C_{2-6}alkynyl which may be optionally substituted with a substituent selected from the group consisting of hydroxy, halogen, aryl, C_{3-6}cycloalkyl, and heterocycle; R^4 is phenyl substituted with one or more substituents selected from the group consisting of C_{1-8}alkyl, $-S(O)_2R^7$, $-S(O)_2NR^8R^9$, $-OR^{11}$, heterocycleC_{2-6}alkenyl, and heterocycle which may be optionally substituted with oxo; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 61 (Previously Presented) A compound of formula (III) according to claim 40 wherein R^1 is phenyl which is substituted in the meta position with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, -CN, $-SR^6$, $-S(O)_2R^6$; R^6 is C_{1-8}alkyl, optionally substituted with halogen; R^7 is C_{1-8} alkyl, optionally substituted with hydroxy; $-NH_2$; or heterocycle; R^4 is phenyl substituted with one or more substituents selected from the group consisting of hydroxy, $-CF_3$, C_{1-8}alkyl, hydroxyC_{1-8}alkyl, -CN, $-NO_2$, $-C(O)NH_2$, $-S(O)_2R^7$, $-S(O)_2NR^8R^9$, $-OR^{11}$, $-C(O)NR^{11}$, $-C(O)OR^{11}$, $-NR^{11}$, $-NC(O)R^{11}$, heterocycle which may be optionally substituted with one or more substituents selected from the group consisting of oxo and C_{1-8}alkyl; $R^8$and R^9 are the same or different and are selected from the group consisting of

hydrogen, C_{1-8}alkyl, C_{1-8}alkylheterocycle, heterocycle, and C_{3-6}cycloalkyl; R^{10} is C_{1-8}alkyl; R^{11} is C_{1-8}alkyl, optionally substituted with $-S(O)_2NR^8R^9$; and R^5 is halogen or $-NO_2$; or a pharmaceutically acceptable salt thereof.

Claim 62 (Previously Presented) A compound of formula (I) according to claim 60 wherein R^1 is phenyl which is substituted in the meta position with one or more substituents selected from the group consisting of halogen, $-CF_3$, C_{1-8}alkyl, and -CN; R^4 is phenyl substituted with one or more substituents selected from the group consisting of halogen, C_{1-8}alkyl, -CN, $-NO_2$, $-S(O)R^7$, $-S(O)_2R^7$, $-NS(O)_2R^7$, wherein R^7 is $-NH_2$; and R^5 is halogen; or a pharmaceutically acceptable salt thereof.

Claim 63 (Previously Presented) A method of treatment of an HIV infection in a mammal comprising administering to said mammal an effective amount of a compound according to claim 6.

Claim 64 (Cancelled)

Claim 65 (Previously Presented) A method of treatment of an HIV infection in a mammal comprising administering to said mammal an effective amount of a compound according to claim 18.

Claim 66 (Canceled)

Claim 67 (Previously Presented) A pharmaceutical composition comprising an effective amount of a compound according to claim 6 together with a pharmaceutically acceptable carrier.

Claim 68 (Previously Presented) A pharmaceutical composition according to claim 67 in the form of a tablet or capsule.

Claim 69 (Previously Presented) A pharmaceutical composition according to claim 67 in the form of a liquid.

Claim 70 (Cancelled)

Claim 71 (Previously Presented) A pharmaceutical composition comprising an effective amount of a compound according to claim 18 together with a pharmaceutically acceptable carrier.

Claim 72 (Cancelled)